

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	11285	(soi ((insulated insulating insulation) near3 substrate)) and (display 'image display' 'light display' 'liquid crystal display')	USPAT	2005/08/19 14:37
2	BRS	L2	2170	1 and ('gate line' 'data line')	USPAT	2005/08/19 14:38
3	BRS	L3	1717	2 and ('drain electrode' 'pixel electrode')	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:39
4	BRS	L4	1047	3 and (passivation insulation insulating) adj layer	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:39
5	BRS	L5	1020	4 and (pixel pixels)	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:40
6	BRS	L6	489	5 and 'color filter'	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:40
7	BRS	L7	445	6 and (opening via 'through hole' aperature 'contact hole')	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:42

	Type	L #	Hits	Search Text	DBs	Time Stamp
8	BRS	L8	1	7 and ('data line' near3 angle)	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:43
9	BRS	L9	203	7 and (storage near3 capacitor)	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:43
10	BRS	L10	175	9 and @ad<"20030404"	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 14:44

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	12	((("6608662") or ("6573964") or ("5635736") or ("6661493") or ("6411357")).PN.	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 15:29
2	BRS	L4	1	1 and (soi ((insulated insulating insulation) near3 substrate))	US-PGPUB; USPAT; JPO; DERWE NT	2005/08/19 15:30
3	BRS	L5	3	1 and ('gate line' 'data line')	US-PGPUB; USPAT; JPO; DERWE NT	2005/08/19 15:31
4	BRS	L6	2	5 and ('drain electrode' 'pixel electrode')	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 15:31
5	BRS	L7	1	6 and (passivation insulation insulating) adj layer	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 15:32
6	BRS	L8	1	7 and (pixel pixels)	US-PGPUB; USPAT; EPO; DERWE NT	2005/08/19 15:32